

=> d his

(FILE 'HOME' ENTERED AT 12:36:03 ON 27 JUN 2000)

FILE 'REGISTRY' ENTERED AT 12:36:18 ON 27 JUN 2000

L1 STR
L2 4 S L1
L3 114 S L1 FUL

FILE 'CAPLUS' ENTERED AT 12:37:45 ON 27 JUN 2000

L4 18 S L3

FILE 'REGISTRY' ENTERED AT 12:37:51 ON 27 JUN 2000

L5 5 S L3 AND OC5-C6/ES
L6 19 S L3 AND OC5/ESS
L7 STR L1
L8 STR L1

FILE 'CAPLUS' ENTERED AT 12:41:58 ON 27 JUN 2000

FILE 'REGISTRY' ENTERED AT 12:42:09 ON 27 JUN 2000

L9 8 S L7 OR L8 SSS FUL SUB=L3
L10 22 S L5 OR L6 OR L9

FILE 'CAPLUS' ENTERED AT 12:43:21 ON 27 JUN 2000

L11 1 S L10

FILE 'CAOLD' ENTERED AT 12:44:17 ON 27 JUN 2000

L12 0 S L10

FILE 'BEILSTEIN' ENTERED AT 12:44:29 ON 27 JUN 2000

L13 24 S L1 FUL
L14 STR
L15 STR
L16 STR
L17 0 S L14 OR L15 OR L16 OR L7 OR L8 SSS FUL SUB=L13

← 22 compounds

← 1 cite Caplus


← 0 Cites Caold

← 0 compounds

=> d que l11

L1

STR



Parent Search

REP G1=(0-1) C

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 9


STEREO ATTRIBUTES: NONE

L3 114 SEA FILE=REGISTRY SSS FUL L1

L5 5 SEA FILE=REGISTRY ABB=ON PLU=ON L3 AND OC5-C6/ES

L6 19 SEA FILE=REGISTRY ABB=ON PLU=ON L3 AND OC5/ESS

L7 STR



Subset

220
1 of 2

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED


GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 15

STEREO ATTRIBUTES: NONE

L8 STR



Subset 2 of 2

NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 20

STEREO ATTRIBUTES: NONE
L9 8 SEA FILE=REGISTRY SUB=L3 SSS FUL L7 OR L8
L10 22 SEA FILE=REGISTRY ABB=ON PLU=ON L5 OR L6 OR L9
L11 1 SEA FILE=CAPLUS ABB=ON PLU=ON L10

=> d bib abs hitstr

L11 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2000 ACS

AN 2000:117059 CAPLUS

DN 132:171119

TI Water-soluble prodrugs of hindered alcohols or phenols

IN Stella, Valentino J.; Zygmunt, Jan J.; Georg, Ingrid Gunda; Safadi, Muhammed S.

PA University of Kansas, USA

SO PCT Int. Appl., 76 pp.


CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2000008033	A1	20000217	WO 1999-US17779	19990806
	W:				
	AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW:				
	GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
PRAI	US 1998-131385		19980807		
OS	MARPAT 132:171119				
AB	Water-sol. phosphonooxymethyl esters of drugs contg. aliph. or arom. hindered OH groups are prep'd. as prodrugs to improve the bioavailability of the drugs without use of surfactants which lead to severe side effects.				
	Among the drugs thus rendered water sol. are camptothecin, propofol, cyclosporin A, etoposide, and .alpha.-tocopherol. Thus, propofol was converted via its O-(methylthio)methyl, O-chloromethyl, and O-phosphonooxymethyl dibenzyl ester derivs. to O-phosphonooxymethylpropofol. This comp'd. had a water soly. of .apprx.500 mg/mL, was nontoxic in rats, was converted to propofol by alk. phosphatase in vitro, and produced anesthesia in dogs in a similar manner to a com. propofol formulation (Diprivan).				
IT	258516-91-5P 258516-93-7P 258516-95-9P 258516-97-1P 258516-99-3P 258517-01-0P 258517-02-1P 258517-03-2P 258517-04-3P 258517-05-4P				
	RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)				
	(water-sol. prodrugs of hindered alcs. or phenols)				
RN	258516-91-5	CAPLUS			
CN	Methanol, [[3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-1-benzopyran-6-yl]oxy]-, dihydrogen phosphate (9CI) (CA INDEX NAME)				



RN 258516-93-7 CAPLUS

CN Methanol, [[3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-1-benzopyran-6-yl]oxy]-, dihydrogen phosphate, disodium salt (9CI)

(CA INDEX NAME)




● 2 Na

RN 258516-95-9 CAPLUS

CN 1H-Pyrano[3',4':6,7]indolizino[1,2-b]quinoline-3,14(4H,12H)-dione, 4-ethyl-4-[(phosphonooxy)methoxy]-, (4S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 258516-97-1 CAPLUS

CN 1H-Pyrano[3',4':6,7]indolizino[1,2-b]quinoline-3,14(4H,12H)-dione, 4-ethyl-4-[(phosphonooxy)methoxy]-, disodium salt, (4S)- (9CI) (CA INDEX NAME)

Searched by John Dantzma 703-308-4488


Absolute stereochemistry.



● 2 Na

RN 258516-99-3 CAPLUS
CN 1H-Pyrano[3',4':6,7]indolizino[1,2-b]quinoline-3,14(4H,12H)-dione,
4-ethyl-4-[(phosphonoxy)methoxy]-, monosodium salt, (4S)- (9CI) (CA
INDEX NAME)

Absolute stereochemistry.



● Na

RN 258517-01-0 CAPLUS
CN L-Lysine, compd. with (4S)-4-ethyl-4-[(phosphonoxy)methoxy]-1H-
pyrano[3',4':6,7]indolizino[1,2-b]quinoline-3,14(4H,12H)-dione (1:1)
(9CI)
(CA INDEX NAME)

CM 1


CRN 258516-95-9

Searched by John Dantzma

703-308-4488

CMF C21 H19 N2 O8 P

Absolute stereochemistry.




CM 2

CRN 56-87-1

CMF C6 H14 N2 O2

CDES 5:L

Absolute stereochemistry.



RN 258517-02-1 CAPLUS

CN L-Arginine, compd. with (4S)-4-ethyl-4-[(phosphonooxy)methoxy]-1H-pyrano[3',4':6,7]indolizino[1,2-b]quinoline-3,14(4H,12H)-dione (1:1)
(9CI)


(CA INDEX NAME)

CM 1

CRN 258516-95-9

CMF C21 H19 N2 O8 P

Absolute stereochemistry.




CM 2

CRN 74-79-3

CMF C6 H14 N4 O2

CDES 5:L

Absolute stereochemistry.



RN 258517-03-2 CAPLUS


CN D-Glucitol, 1-deoxy-1-(methylamino)-, compd. with (4S)-4-ethyl-4-
[(phosphonooxy)methoxy]-1H-pyrano[3',4':6,7]indolizino[1,2-b]quinoline-
3,14(4H,12H)-dione (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 258516-95-9

CMF C21 H19 N2 O8 P

Absolute stereochemistry.




CM 2

CRN 6284-40-8

CMF C7 H17 N O5

CDES *


Absolute stereochemistry.



RN 258517-04-3 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5-[3,5-dimethoxy-4-
 [(phosphonoxy)methoxy]phenyl]-9-[[4,6-O-(1R)-ethylidene-.beta.-D-
 glucopyranosyl]oxy]-5,8,8a,9-tetrahydro-, (5R,5aR,8aR,9S)- (9CI) (CA
 INDEX NAME)


Absolute stereochemistry.



RN 258517-05-4 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5-[3,5-dimethoxy-4-[(phosphonooxy)methoxy]phenyl]-9-[[4,6-O-(1R)-ethylidene-.beta.-D-glucopyranosyl]oxy]-5,8,8a,9-tetrahydro-, disodium salt, (5R,5aR,8aR,9S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 258516-36-8P 258516-40-4P 258516-48-2P
 258516-51-7P 258516-55-1P 258516-58-4P
 258516-64-2P 258516-67-5P 258516-69-7P
 258516-72-2P 258516-78-8P 258516-80-2P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)
 (water-sol. prodrugs of hindered alcs. or phenols)

RN 258516-36-8 CAPLUS

CN Phosphoric acid, [[3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-1-benzopyran-6-yl]oxy]methyl bis(phenylmethyl) ester

(9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B


— (CH₂)₃—CHMe₂

RN 258516-40-4 CAPLUS


CN Phosphoric acid, 4-[(5R,5aR,8aR,9S)-9-[[4,6-O-(1R)-ethylidene-.beta.-D-glucopyranosyl]oxy]-5,5a,6,8,8a,9-hexahydro-6-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]-2,6-dimethoxyphenyl bis(phenylmethyl) ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A




PAGE 2-A




RN 258516-48-2 CAPLUS
CN Phosphoric acid, [[(4S)-4-ethyl-3,4,12,14-tetrahydro-3,14-dioxo-1H-pyrano[3',4':6,7]indolizino[1,2-b]quinolin-4-yl]oxy]methyl bis(phenylmethyl) ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 258516-51-7 CAPLUS


CN Phosphoric acid, [2,6-bis(1-methylethyl)phenoxy]methyl bis(phenylmethyl) ester (9CI) (CA INDEX NAME)



RN 258516-55-1 CAPLUS

CN Phosphoric acid, [[3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-1-benzopyran-6-yl]oxy]methyl bis(1,1-dimethylethyl) ester (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B

—CHMe₂


RN 258516-58-4 CAPLUS

CN Phosphoric acid, bis(1,1-dimethylethyl)


4-[(5R,5aR,8aR,9S)-9-[[4,6-O-(1R)-ethylidene-.beta.-D-glucopyranosyl]oxy]-5,5a,6,8,8a,9-hexahydro-6-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]-2,6-dimethoxyphenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A




PAGE 2-A



RN 258516-64-2 CAPLUS


CN Phosphoric acid, bis(1,1-dimethylethyl) [[[4S)-4-ethyl-3,4,12,14-tetrahydro-3,14-dioxo-1H-pyrano[3',4':6,7]indolizino[1,2-b]quinolin-4-yl]oxy]methyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 258516-67-5 CAPLUS


CN Phosphoric acid, [2,6-bis(1-methylethyl)phenoxy]methyl
bis(1,1-dimethylethyl) ester (9CI) (CA INDEX NAME)



RN 258516-69-7 CAPLUS

CN Phosphoric acid, [[3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-1-benzopyran-6-yl]oxy]methyl di-2-propenyl ester
(9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B


— (CH₂)₃—CHMe₂

RN 258516-72-2 CAPLUS


CN Phosphoric acid, 4-[(5R,5aR,8aR,9S)-9-[[4,6-O-(1R)-ethylidene-.beta.-D-glucopyranosyl]oxy]-5,5a,6,8,8a,9-hexahydro-6-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]-2,6-dimethoxyphenyl di-2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A




PAGE 2-A



RN 258516-78-8 CAPLUS

CN Phosphoric acid, [[(4S)-4-ethyl-3,4,12,14-tetrahydro-3,14-dioxo-1H-pyrano[3',4':6,7]indolizino[1,2-b]quinolin-4-yl]oxy]methyl di-2-propenyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 258516-80-2 CAPLUS

CN Phosphoric acid, [2,6-bis(1-methylethyl)phenoxy]methyl di-2-propenyl ester

(9CI) (CA INDEX NAME)




RE.CNT 5

RE

- (1) Bristol-Myers Squibb Co; EP 0604910 A 1994
- (2) Bristol-Myers Squibb Co; EP 0639577 A 1995
- (3) Bristol-Myers Squibb Co; EP 0747385 A 1996
- (4) Golik, J; BIOORGANIC & MEDICINAL CHEMISTRY LETTERS 1996, V6(15), P1837
CAPLUS
- (5) Safadi, M; PHARMACEUTICAL RESEARCH 1993, V10(9), P1350 CAPLUS


=> d que stat 117



REP G1=(0-1) C
NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 9


STEREO ATTRIBUTES: NONE
L7 STR



NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 15


STEREO ATTRIBUTES: NONE
L8 STR



NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 20


STEREO ATTRIBUTES: NONE
 L13 24 SEA FILE=BEILSTEIN SSS FUL L1
 L14 STR



NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 10


STEREO ATTRIBUTES: NONE
 L15 STR



NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 10

STEREO ATTRIBUTES: NONE
L16 STR



NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 21

STEREO ATTRIBUTES: NONE
L17 0 SEA FILE=BEILSTEIN SUB=L13 SSS FUL L14 OR L15 OR L16 OR L7 OR
L8

100.0% PROCESSED 8 ITERATIONS
SEARCH TIME: 00.00.09

0 ANSWERS